

Notice of Allowability	Application No.	Applicant(s)	
	10/087,834	AOSHIMA, KEITARO	
	Examiner	Art Unit	
	Cynthia Hamilton	1752	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>RCE filed 12/12/2005</u> .			
2. \boxtimes The allowed claim(s) is/are $\frac{(-2)}{5-10}$, $\frac{13}{17-23}$, $\frac{25-40}{40}$, $\frac{42-48}{40}$			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF			
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	5. ☐ Notice of Informal Po 6. ☐ Interview Summary ☐ Paper No./Mail Dat	atent Application (PT (PTO-413), e nent/Comment	
PHIMARY EXAMINER WITH 1 8 06			

Application/Control Number: 10/087,834 Page 2

Art Unit: 1752

REASONS FOR ALLOWANCE

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on October 12, 2005 has been entered.

1. The following is an examiner's statement of reasons for allowance: The amending of claim to "negative planographic printing plate" along with applicant's explanation of negative planographic printing plate as one which the negative acting layer results in a negative image being formed such that the exposed area is where the ink resides upon development. The examiner carefully considered all parts of both the inventive "negative planographic printing plate" and the positive plate of Hauck. While the layers appear to very close as generically defined, the examiner cannot read into the plates of Hauck, any plate which would yield the negative plate precursor as claimed by applicants. While both make use of negative layers which are either crosslinkable or polymerizable, the nature of the relationship between the top layer and the negative acting layer in Hauck yields a positive plate while the system of the inventors yields a negative plate. Since the plate actually made by Hauck and applicants are different in many small ways the examiner cannot state with any certainty that the plates of Hauck would ever yield the negative plates of applicants. Thus, because of the wording "negative planographic printing plate" along with applicants' explanation of such terminology which is supported by the original specification, the instant claims are found allowable over the prior art.

Application/Control Number: 10/087,834 Page 3

Art Unit: 1752

January 8, 2006

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cynthia Hamilton whose telephone number is 571-272-1331. The examiner can normally be reached on Monday through Friday 9:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cynthia H. Kelly can be reached on (571) 272-0729. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Cynthia Hamilton Primary Examiner Art Unit 1752

CYNTHIA HAMILTON PRIMARY EXAMINER

1-6-06